



Färber & Schmid
Chemie · Technik

RESIN-Clean EXP-10/11

Strong cleaner for 1k- and 2k resins
Odorless formulation
Free of NMP, NEP and GBL

RESIN-Clean EXP-10/11 is a cleaner based on modified organic solvents and swelling agents. It has been specially developed for the removal of cured and burned in contaminants/resins on almost all metallic substrates. RESIN-Clean EXP-10/11 has a high solvency power.

Technical Data	
Density (g/cm ³) at 20 °C	0,95 – 1,00
Surface tension (mN/m) at 25 °C	< 40
Boiling range (°C)	> 180
Flash point (°C)	95
pH-value (10 g / l H ₂ O)	10,0 – 11,0
Vapor pressure (mbar) at 20 °C	< 1
Application temperature (°C)	20 - 80
Self ignition (°C)	> 200
Solubility in water (%)	100
Application concentration (%)	100
Biodegradability	ja

Application Areas			
Removes:			
Polyurethans (PUR)	++	Oils + Greases	o
Epoxy (EP)	+	Adhesives	+
Polyesters (P)	++	Paints + Laquers	++
Acrylics	++	General dirt	+

Processes			
Dip cleaning	++	Spray in air	+
Ultrasonic	++	Manual by hand	+

++ very recommended	+ recommended	o possible, but not recommended	- not recommended
---------------------	---------------	---------------------------------	-------------------

General Information
Free of halogenated and aromatic solvents
Free of NMP, NEP and DMF
Shelf life in sealed containers: > 3 years
The cleaner is delivered as "ready to use" solution. Do not dilute in water.
No corrosive effect on metal surfaces
Very high bath loading capacity = long life



ISO 9001 / ISO 14001